

## Information Governance Team

Postal Address: Coventry City Council PO Box 15 Council House Coventry CV1 5RR

## www.coventry.gov.uk

E-mail: infogov@coventry.gov.uk

Phone: 024 7697 5408

25 September 2024

Dear Sir/Madam

Freedom of Information Act 2000 (FOIA) Request ID: FOI642166710

Thank you for your request for information relating to EV Charging and Chargers.

You have requested the following information:

- 1. How many public EV charging devices are available in your authority? And how many of these are rapid or ultra rapid? (If unable to provide a break down please share total):
- The total number of devices:

1368

- The total number of rapid charging devices (providing power at between 50kW and 100kW):

50kW x 39

- The total number of ultra rapid chargers (providing power at 100kW and above):
- 2. How many public EV chargers have you installed for each of the last five years? How many of these have been rapid or ultra rapid? (if you are unable to include information for 5 years please include as far back as you can. If you are unable to provide rapid / ultrarapid breakdown, please provide total)
- · 2020:
- · 2021:
- · 2022:
- · 2023:
- 2024 (up to current date):

Year	No. of installs	Capacity
2018	6	50k <b>W</b>
2019	235	144 (3.5kW) 64(7kW) 27 (50kW)
2020	115	90 (3.5kW) 14 (7kW) 8 (22kW) 3 (50kW)
2021	122	62 (3.5kW) 52 (7kW) 8 (22kW)
2022	312	4 (3.5kW) 308 (7kW)
2023	467	7kW
2024	150	148 (7kW) 2 (22kW)

- 3. In the last five years, how much in GPB has your local authority invested in electrical vehicle charging infrastructure? (if you are unable to include information for 5 years please include as far back as you can)
- · 2020:
- 2021:
- · 2022:
- · 2023:
- 2024 (up to current date):

Coventry City Council has not directly invested in the electric vehicle charging infrastructure. However, there has been over £8m public funding invested with additional over £4m from private sector in delivering the Coventry's electric vehicle charging infrastructure.

4. What percentage of your public EV charging devices were fully operational (without faults being reported) for the last:

6 months: 2.8%12 months: 4.7%

- 5. How many parking spaces with public charging facilities did you provide across your local authority during the following years? (If unable to provide a break down please share total)
- 201: 6 spaces
- 2019: 235 spaces
- 2020: 115 spaces
- 2021: 122 spaces
- 2022: 546 spaces
- 2023: 939 spaces
- 2024 (up to current date): 200 spaces

## 6. If applicable, how many of your public EV chargers sit within ULEZ or low emission zones?

Not applicable in Coventry as the authority does not operate any ULEZ or low emission zones.

The supply of information in response to a FOI/EIR request does not confer an automatic right to re-use the information. You can use any information supplied for the purposes of private study and non-commercial research without requiring further permission. Similarly, information supplied can also be re-used for the purposes of news reporting. An exception to this is photographs. Please contact us if you wish to use the information for any other purpose.

For information, we publish a variety of information such as: <u>FOI/EIR Disclosure Log</u>, <u>Publication Scheme</u>, <u>Facts about Coventry</u> and <u>Open Data</u> that you may find of useful if you are looking for information in the future.

If you are unhappy with the handling of your request, you can ask us to review our response. Requests for reviews should be submitted within 40 days of the date of receipt of our response to your original request – email: <a href="mailto:infogov@coventry.gov.uk">infogov@coventry.gov.uk</a>

If you are unhappy with the outcome of our review, you can write to the Information Commissioner, who can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF or email <a href="mailto:icocasework@ico.org.uk">icocasework@ico.org.uk</a>.

Please remember to quote the reference number above in your response.

Yours faithfully

**Information Governance**