

## 2005 ORGANIC SOLVENT USAGE FOR NON REGULATED PROCESSES.

Product Classification	Product Name	Solvent Content (Kg/L)	CAS No.	Quantity Used 2005	Total Solvent
RUBBER CLEANER / REFRESHER	NAPHTHA - SBP7L	Solvent naphtha (petroleum), light aliph. = ns% Naphtha (petroleum), solvent-refined light = ns% n-hexane = <2.5%	64742-89-8 64741-84-0 110-54-3	1625 litres	1137Kg
PAINT THINNER	MIBK (Methyl Iso Butyl Ketone)	4-methylpentan-2-one	108-10-1	151 litres	121Kg
PAINT THINNER	XYLENE	Xylene (mix)	1330-20-7	150 litres	132Kg
RELEASE AGENT	MONO-COAT 830 (aerosol)	C-7-C-14 Hydrocarbon; max 1% Aromatics = >50% n-Propanol = 25 - 50% Ethanol = 3 - 10% Active Matter = 1 - 3% Dipropyleneglycol Methylether = 1 - 3%	64742-48-9 71-23-8 64-17-5 n/a 34590-94-8	64 litres	64 litres
BONDING AGENT (Grey Undercoat)	CHEMOSIL 211	Xylene, mixture of isomers = 5 - 10% Ethylbenzene = 1 - 5% Phenol = <1% isobutyl ketone = >25%	1330-20-7 100-41-4 108-95-2 108-10-1	294 kg.	223Kg
BONDING AGENT (Black Topcoat)	CHEMOSIL 220	Xylene, mixture of isomers = 25 - 50% Perchloroethylene = 10 - 25% Ethylbenzene = 10 - 25% Bleiverbindungen = <2,5% Inorganic lead salt = 1 - 5%	1330-20-7 127-18-4 100-41-4 n/a n/a	202 kg.	152Kg

**ORGANIC SOLVENT / ISOCYANATE USAGE 2005 FOR LOCAL AUTHORITY AUTHORISATION No. 050.**

<b>Product Classification</b>	<b>Product Name</b>	<b>Solvent / Isocyanate Content (Kg/L)</b>	<b>CAS No.</b>	<b>Quantity Used 2005</b>	<b>Total Solvent</b>
BLACK FAST-DRYING GENERAL PURPOSE INK	LINX 1240	Butanone = 60 - 100% Lactate = 1 - 5% Complex) = 5 - 10%	Ethyl L-78-93-3 Dye(Chromium[III] - Azo - 87-47-8 - - -	Nil	
FAST - DRYING GENERAL PURPOSE SOLVENT	LINX 1512	Butanone = 60 - 100%	78-93-3	150 Litres	134Kg
MOULD RELEASE AGENT	PURA 3591H	Decamethylcyclopentasiloxan = 65 -70% Polydimethyl-3-[(2-Aminoethyl)Amino] Propylmethylsiloxan = 5 - 10%	541-02-6 67923-08-04	1140Kg	752Kg

**ORGANIC SOLVENT / ISOCYANATE USAGE 2005 FOR LOCAL AUTHORITY AUTHORISATION No. 050.**

<b>Total Isocyanate</b>